ŞEPA		AL HAZARDOUS WASTE S	SITE	REGION	SITE NUMBER (to be essign
7LI7	SITE	INSPECTION REPORT		VI	AR01171
ion on this form to develo File. Be sure to include a	p a Tentative Dispos Il appropriate Supple	is I and III through XV of the sition (Section II). File the emental Reports in the file ous Waste Enforcement Tax	is form in its entirety . Submit a copy of the	in the regio	nal Hazardous Waste Log U.S. Environmental Pro-
A. SITE NAME		I. SITE IDENTIFICA	TION	ARD	990 742 934
Union Carbi	de (UMETCO)			arinaa	Aml. II 270F
C. CITY	de (chilito)	D. STAT	5 Box 943 Hot S	F. COUN	TY NAME
Hot Springs	MATION	AR	71901		Garland
1. NAME	a non			1 2. TEL	EPHONE NUMBER
Terry Washb	ur <u>n (P</u> la			(501)	262-1270
	43 Hov 270 F	Hot Carina			
Rt. 5 Box 9	ATION (II different tro	m operator of site)	3	AR	1 70901
1. NAME				2. TEL	EPHONE NUMBER
Same as abo	ve			4. 5TA	TE B. ZIP CODE
I. SITE DESCRIPTION					
	ide mining & m	anufacturer			
J. TYPE OF OWNERSHIP					
1. FEDERAL	2. STATE 3	. COUNTY 4. MUNIC	CIPAL X 5. PRI	ATE	
		TIVE DISPOSITION (comp			
A. ESTIMATE DATE OF TEN	we l	. HIGH 2. MEDII			A. NONE
C. PREPARER INFORMATIO	N N	1	EPHONE NUMBER	1	E (mo., day, & yr.)
Raymond W. I	Roblin) 742-6601		gust 23, 1985
		III. INSPECTION INFOR		Au	gust 25, 1705
A. PRINCIPAL INSPECTOR 1. NAME	NEORMATION	100 12. TITE	LE		
Raymond W. I	Roblin May	FIT_	Ge <u>ologist</u>	 .	EPHONE NO. (area code & no.
Ecology and Enviro	onment. Inc. 1	509 Main St ' Dall	las, TX 75201	200 000000)742-6601
B. INSPECTION PARTICIPA		Joy Harri Sc. Dari	ids, IX 75201	1 (214)742-0001
*. NAME		Z. ORGANIZATIO	N .		3. TELEPHONE NO.
Dave Wineman	Ecolog	y and Environment,	Inc.	(214)	742-6601
C. SITE REPRESENTATIVE		orace officials, workers, resides	dents)	3. ADDRES	
1. NAME			(501) 262-1270		
Dave Lechak	Service	isor of Technical	Rt. 5 Box 943;		ings Ar. 71901
				SU	PERFUND
					FILE
				JUN	0 5 1992
				REC	RGANIZED

Reviewed by 6AW.SC P.S.

EPA Form T2070-3 (10-79)

PAGE 1 OF 10

Continue On Reverse

		SPECTION INFORMATION (continued)	
GENERATOR INFORMATI			
1. NAME	2. TELEPHONE NO.	3. ADDRESS	4. WASTE TYPE GENERATE
None			

. TRANSPORTER/HAULER	2. TELEPHONE NO.	3. ADDRESS	4. WASTE TYPE TRANSPORTS
None			
IF WASTE IS PROCESSED	ON SITE AND ALSO SHI	PPED TO OTHER SITES, IDENTIFY OFF-SITE	FACILITIES USED FOR DISPOSAL.
1. NAME	2. TELEPHONE NO.		
None			
	A CONTRACTOR OF		
(mon day A VI.)	H. TIME OF INSPECT	ION I. ACCESS GAINED BY (credentials must	
(mo., day, & yr.) 7/10/85 WEATHER (describe)	0800-12:00 h	rs 1. PERMISSION 2. WAR	RRANT
	000		
Sunny and warm u	pper 90°	IV. SAMPLING INFORMATION	
. Mark 'X' for the types of	samples taken and in	dicate where they have been sent e.g., regi-	onal lab. other EPA lab, contractor,
etc. and estimate when			
1. SAMPLE TYPE	2. SAMPLE TAKEN	3. SAMPLE SENT TO:	4. DATE RESULTS
	(mark 'X')		AVAILABLE
. GROUNDWATER			
. SURFACE WATER			
SURFACE WATER			
. WASTE			
1. AIR			
. RUNOFF			
. SPILL			
. SPILL			
. SOIL			
. VEGETATION			
. OTHER(epecity)			
	l x	None taken during inspection	
. FIELD MEASUREMENTS T	AKEN (e.g., radioactivit	y, explosivity, PH, etc.)	
1. TYPE	2. LOCAT	ION OF MEASUREMENTS	3. RESULTS
None	9-08		
None			

Continued From Page 2	1	V. SAMPLING INFOR	MATION (continued)				
C. PHOTOS							
1. TYPE OF PHOTOS		2. PHOTOS IN	IN CUSTODY OF				
X m. GROUND b	. AERIAL	Region	6 EPA (attached)				
X YES. SPECIFY LOCA	TION OF MAPS	USGS Topograph	ic Map (attachment Map	A)			
. COORDINATES							
1. LATITUDE (degminsec	.)		2. LONGITUDE (degminsec.)				
34°28'00"N			92°56'52"W				
. SITE STATUS		V. SITE INFO	RMATION				
X 1. ACTIVE (Those inductrial or municipal sites which are being used for waste treatment, storage, or disposal on a continuing basis, even if intrequently.)			3. OTHER (specify): (Those sites that include such inc where no regular or continuing use has occurred.)	idents like "midnight dumping" of the site for waste disposal			
3. IS GENERATOR ON SITE? 1. NO X 2. Y	ES(specify generate	or's four-digit SIC Code)	2819				
. AREA OF SITE (in acres)	D. AR	E THERE BUILDINGS O	N THE SITE?				
50		1. NO X 2. YES/8	pecify) Milling and produ	uction buildings			
50 acres							
			N OF SITE ACTIVITY				
ndicate the major site acti	vity(ies) and deta	ils relating to each ac	tivity by marking 'X' in the appro	priate boxes.			
A. TRANSPORTER	x.	B. STORER	C. TREATER	D. DISPOSER			
1.RAIL	1. PILE		1. FILTRATION	1. LANDFILL			
2.5HIP	X 2. SURFA	CE IMPOUNDMENT	2. INCINERATION	2. LANDFARM			
3. BARGE	3. DRUM		3. VOLUME REDUCTION	3. OPEN DUMP			
4. TRUCK	4. TANK	ABOVE GROUND	4. RECYCLING/RECOVERY	X 4. SURFACE IMPOUNDMENT			
S. PIPELINE		BELOW GROUND	X S. CHEM./PHYS./TREATMENT	5. MIDNIGHT DUMPING			
8. OTHER (specify):	e. OTHE	R(specify):	6. BIOLOGICAL TREATMENT	6. INCINE ATION			
			7. WASTE OIL REPROCESSING	7. UNDERG. DUND INJECTION			
	- 1000000		8. SOLVENT RECOVERY	x 8.OTHER(specify):			
			9. OTHER(specify):	Backfilling impoundm wastes to mine pits.			
which Supplemental Report	S: If the site falls	within any of the catego t and attached to this for	ries listed below, Supplemental Repo	rts must be completed. Indicate			
1. STORAGE	2. INCINERA	TION 3. LANDFIL	L X 4. SURFACE	5. DEEP WELL			
6. PHYS TREATMENT	7. LANDFAR			10. RECYCLOR/RECLAIMER			
. WASTE TYPE		VII. WASTE RELAT	EDINFORMATION				
1. LIQUID	X 2. SOLID	3. SLUDGE	4. GAS				
. WASTE CHARACTERISTIC	s						
X 1. CORROSIVE	2. IGNITABL	E 3. RADIOAC	TIVE _ 4. HIGHLY VOLATILE				
5. TOXIC	6. REACTIVE		8. FLAMMABLE				
9. OTHER (epecify): C. WASTE CATEGORIES 1. Are records of wastes ava	Uable? Specify iter	ne such as manifests, inv	ventories, etc. below.				
Wastes are monite	ered through	NEDES program.					

2. Estimate the amoun	at (specify unit of m		STER e) of w							which waste	s are pre	sent.	
e. SLUDGE	b. OIL		c. SOL				d. CHE			e. 50L/05		f. OTH	ER
MOUNT	AMOUNT	44	TANDO			AM	DUNT	_	44	*QUNT	-	MOUNT	
Unknown	None UNIT OF MEASURE	1	NIT OF	one		_	Unkr			Unknown		None	
ATT OF WEASONE		10	417 04	WE 250	me.	-		EASUR		OF MEASO	HE 10	NIT OF ME	ASURE
(1) PAINT.	(1) OILY	.×	1 HA	DGEN	ATED	×	(1) ACIS	5	×	TIFLYASH		1 LABO	RATORY. MACEUT.
(2) METALS SLUDGES	210THER(specif	y):	(2) NO	VENT:	GNTD.		PICK	LING		2) ASBESTOS		12 1 HOSP	TAL
(3) POTW		-	(3) 0 T	HER(sp	ecity)		3 CAU	STICS	,	131 MILLING	MINE	(3) RADIO	DACTIVE
(4) ALUMINUM SLUDGE							A PES	FICIDE	s	4 FERROUS	-	(4) MUNIC	IPAL
Scrubber							SIDYE	SINKS		SMLTG. W	ASTES	(5) OTHE	R (specify
Sludge							(6) C Y A	NIDE		6 OTHER(SE	ecity):		
							17) PHE	NOLS					
							(B) HAL	OGENS					
	7 14976					-	(9) PCB						
						x	(10+ME	TALS					
. LIST SUBSTANCES	OF GREATEST CONC		WHICH			SITE	Chlori Chlori	des		rder of hazard)			
1. SUBSTA	ANCE	(1	mark 'X	')	(mark	k 'X')		4. CA	NUMBER	5. AN	TAUDA	6. UNIT
		LID	b.	POR		b. MED	. LOW	d. NONE			N. 12.00		
Chlorides			x						Non	e	Unk	now	
Metals		_x_	-				-		Non	e	Unk	nown	-
							-						
									Y E				
						_	SCRIPT						
FIELD EVALUATION		PTIO	N: Pla	ace an	'X' in	the	box to	indica	te that t	he listed haz	ard exist	s. Describ	be the
A. HUMAN HEAL						-							

	VIII HAZABO DESCRIPTION
B. NON-WORKER INJURY/EXPOSURE	VIII. HAZARD DESCRIPTION (continued)
- Cook	
C. WORKER INJURY/EXPOSURE	
To contamination	
D. CONTAMINATION OF WATER SUPPLY	
E. CONTAMINATION OF FOOD CHAIN	
_ = STATEMENT OF POOR CHAIN	
F. CONTAMINATION OF GROUND WATER	
Possibility of Groundwater	Contamination
Pollution Control has sample	contamination due to unlined surface impoundments. State
and sample	ed local wells and has completed resistivity survey.
	: 보기는 방문에 가장 아름다면서 이 경영화에게 되는 경영화 기관하다 했다.
G. CONTAMINATION OF SURFACE WATER	
All discharges are permitted	through NPDFS program Site has
siltation after heavy rainfa	through NPDES program. SIte has past history of excessive
	zaco bake odtherine.
	[2] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4
	그는데 이 회장에 되고 있다면 어떻게 되었다면 하면 되었다면 하는 것이 되었다면 하는데
Form T2070-3 (10-79)	

	VIII HAZADO DECENIO	
H. DAMAGE TO FLORA/FAUNA	VIII. HAZARD DESCRIPTION (continued)	
I. FISH KILL		<u> </u>
J. CONTAMINATION OF AIR		
K. NOTICEABLE ODORS		
L. CONTAMINATION OF SOIL		
L. CONTAMINATION OF SOIL		
M. PROPERTY DAMAGE		
THE ENT DAMAGE		

Continued From Page 6		
Salaring a Lioni Lage 0	VIII. HAZARD DESCRIPTION (continued)	
N. FIRE OR EXPLOSION		
O. SPILLS/LEAKING CONTAINERS/	RUNOFF/STANDING LIQUID	
P. SEWER, STORM DRAIN PROBLEM	13	
		강시다 그는 사람이 살아가지 않
Q. EROSION PROBLEMS		
C Q. EROSION PROBLEMS		
R. INADEQUATE SECURITY		
S. INCOMPATIBLE WASTES		The Court of the C
EPA Form T2070-3 (10-79)	PAGE 7 OF 10	Continue On Reverse

		SCRIPTION (continued)		
T. MIDNIGHT DUMPING				
U. OTHER (*pecity):				
Site is an active mir permits at this time	and is covered unde	oducer of vanadium O	Caparatar prog	no RCRA
discharges are permit	ted through NPDES p	program, and state a	ir and water pe	rmits.
The FIT has no juriso	diction, and recomme	ends that no further	action be take	n.
				N THE PLAN
	IX. POPULATION DIRE	ECTLY AFFECTED BY SITE		
	IX. POPULATION DIRE	ECTLY AFFECTED BY SITE	D ARPROV NO	E DISTANCE
LOCATION OF POPULATION	B. APPROX. NO.	C. APPROX. NO. OF PEOPLE	OF BUILDINGS	E. DISTANCE TO SITE
LOCATION OF POPULATION		C. APPROX. NO. OF PEOPLE		
	B. APPROX. NO.	C. APPROX. NO. OF PEOPLE	OF BUILDINGS	TO SITE
	B. APPROX. NO.	C. APPROX. NO. OF PEOPLE	OF BUILDINGS	TO SITE
IN RESIDENTIAL AREAS	B. APPROX. NO. OF PEOPLE AFFECTED	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS	B. APPROX. NO. OF PEOPLE AFFECTED	C. APPROX. NO. OF PEOPLE AFFECTED WITHIN UNIT AREA	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS	B. APPROX. NO. OF PEOPLE AFFECTED	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS	8. APPROX. NO. 0F PEOPLE AFFECTED 1000 200 0	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS PUBLIC USE AREAS (parks, schools, sic.)	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 0 1000 X. WATER A	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA	70 10 0	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS (parks, schools, src.) DEPTH TO GROUNDWATER(speci	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 0 1000 X. WATER A	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C.	OF BUILDINGS AFFECTED	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS (parks, schools, etc.) DEPTH TO GROUNDWATER(speci	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 0 1000 X. WATER A	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C.	70 10 0 GROUNDWATER USE IN	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS (parks, schools, src.) DEPTH TO GROUNDWATER(speci	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 0 1000 X. WATER A	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C. GILV CONTROLLED V. F.	70 10 0	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS PUBLIC USE AREAS (Parks, schools, scc.) DEPTH OR GROUNDWATER(speci	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 X. WATER A Ify unit) B. DIRECTION OF O SOUTH / tonographic C. DITRICE TO (apecity unit of in	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C. GILV CONTROLLED V. F.	70 10 0 GROUNDWATER USE IN	TO SITE (specify units)
TRAVELLED AREAS PUBLIC USE AREAS (PARKS, schools, s(c.)) DEPTH TO GROUNDWATER(speci 15'-20' feet Mainly t POTENTIAL VIELD OF AQUIFER UNKNOWN TYPE OF DRINKING WATER SUP	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 1000 X. WATER A Ify unit) B. DIRECTION OF I O South topographic (appetly unit of m typerly unit of m typerly unit of m	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C. ally controlled FLOW glly controlled FLOW EVER STATE OF THE PROPERTY OF THE PEOPLY F.	70 10 0 GROUNDWATER USE IN	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS (PARKS, schools, sic.) DEPTH TO GROUNDWATER(*ppeci 15'-20' feet Mainly POTENTIAL YIELD OF AQUIFER UNKNOWN TYPE OF DRINKING WATER SUP	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 1000 X. WATER A Ify unit) B. DIRECTION OF I O South topographic (appetly unit of m typerly unit of m typerly unit of m	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C. ally controlled FLOW glly controlled FLOW EVER STATE OF THE PROPERTY OF THE PEOPLY F.	70 10 0 GROUNDWATER USE IN DIRECTION TO ONINK	TO SITE (specify units)
IN RESIDENTIAL AREAS IN COMMERCIAL OR INDUSTRIAL AREAS IN PUBLICLY TRAVELLED AREAS (parks, schools, sfc.) DEPTH TO GROUNDWATER(speci	B. APPROX. NO. OF PEOPLE AFFECTED 1000 200 X. WATER A Ify unit) B. DIRECTION OF O SOUTH / tonographic C. DITRICE TO (apecity unit of in	C. APPROX. NO. OF PEOPLI AFFECTED WITHIN UNIT AREA 1000 200 0 1000 ND HYDROLOGICAL DATA FLOW C. ally controlled FLOW glly controlled FLOW EVER STATE OF THE PROPERTY OF THE PEOPLY F.	70 10 0 GROUNDWATER USE IN DIRECTION TO ONINK	TO SITE (specify units)

LIST ALL DE		X. WATER AND HYDROLOGICAL				
	TINKING WATER WEL	LS WITHIN A 1 4 MILE RADIUS OF SITE			1 4	6.
1. WELL	(specify unit)	(proximity to popula	TION		NON-COM-	(mark 'X')
	1	Attached Map shows house		ers names ‡		1
9	30'-40' ft	mile from site attachmen	t Map 'B'	ers names z		
					-	
	 				+	-
RECEIVING W	ATER					
. NAME		2. SENERS 3	STREAMS/RIV	ERS		
Lake Cat	therine	X 4. LAFESTRESERVOIRS	OTHER(spect	(v)		
SPECIFYUS	E AND CLASSIFICAT	ON OF RECLIVING ME ERS	- apeci			
		and wildlife/community ray				
Primary	contact recre	eation and non-contact reci	resn w	ater supply		
		acton and non contact reci	eation			
		X1. SOIL AND VEGITATI	ON DATA			
OCATION OF					7	
X A. KNOWN	FAULT ZONE	B. KARST 201-1	2. 100 YEAR	FLOOD PLAIN	D. WETLAND	
F A REGI	ULATED FLOODWAY	F. CRITICAL HABITAT	G RECHARG	E ZONE OR SOLE SOU	RCE AQUIFER	
	000000000000000000000000000000000000000	XII. TYPE OF GEOLOGICAL MAT				
ark 'X' to ind	dicate the type(s) of	geological material observed and spec			t parts.	
1	'X		x.	C OTHER IN	andter balows	
A. CVERBI	URDEN X	B. BEDROCK (specify below)	x.	C. OTHER (a)	pecity below)	
		B. BEDROCK (specify below)	x	C. OTHER (a)	ecity below)	
Terrac	e	B. BEDROCK (specify below)		C. OTHER (a)	necity below)	
	t t		x.	C. OTHER (a)	ecity below)	
Terrac Deposi	e	B. BEDROCK (specify below) Stanley Shale	X-	C. OTHER (#)	pecify below)	
Terrac Deposi	t t		x.	C. OTHER (ag	ecity below)	
Terrac Deposi	t t		ILITY	C. OTHER (#g	ecity below)	
Terrac Deposi 2. CLEV	t x	Stanley Shale XIII. SOIL PERMEAB				
1. SAND Terrac 2. Deposi 3. GRAVEL	t x	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v.)		_ C. HIGH (1900 to 10	cm/sec.)	
1. SAND Terrac 2. Deposi 3. GRAVEL A. UNKNOV	AN ATE /10 to .1 cm/sec.	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v.)			cm/sec.)	ec.)
1. SAND Terrac Deposi 2. CLAVOS 3. GRAVEL A. UNKNOV X.D. MODERA RECHARGE	AN ATE /10 to .1 cm/sec.	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v.) E. LOW (.1 to .001 cm. sec.)	m sec.)	C. HIGH (1000 to 10	cm/sec.) to .00001 cm/s	
1. SAND Terrac Deposi 2. CLAVOSI 3. GRAVEL A. UNKNOV X.D. MODER: RECHARGE: X 1. YES	t X AN ATE /10 to .1 cm/sec. AREA 2 NO 3. C	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v.)	m sec.)	C. HIGH (1000 to 10	cm/sec.) to .00001 cm/s	
1. SAND Terrac Deposi 2. CLAVOS 3. GRAVEL A. UNKNOV X.D. MODERA RECHARGE	t X ANN ATE (10 to .1 cm' sec. AREA 2 NO 3. C	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v.) E. LOW (.1 to .001 cm. sec.)	m sec.)	C. HIGH (1000 to 10	cm/sec.) to .00001 cm/s	
A. UNKNOV X. D. MODER: RECHARGE X 1. YES DISCHARGE SLOPE	AN ATE (10 to .1 cm/sec. AREA 2. NO 3. C	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 to 10	deposits	C. HIGH (1000 to 10) F. VERY LOW (.001) that outgroup	cm/sec.) to .00001 cm/s	
A. UNKNOV X.D. MODERA 1. YES 1. YES SLOPE 1. YES SLOPE 1. SAND TOTAL TO	AN ATE (10 to .1 cm / Aec. AREA 2 2 NO 3. C	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v.) E. LOW (.1 to .001 cm. sec.) OMMENTS Only along terrace OMMENTS FECIFY DIRECTION OF SLOPE, CONDITI	deposits	C. HIGH (1000 to 10) F. VERY LOW (.001) that outgroup	cm/sec.) to .00001 cm/s	
A. UNKNOW	AN ATE /10 16 .1 cm/sec. AREA 2.2 NO 3. C AREA 2.2 NO 3. C OF SLOPE 2.5	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 to 10	deposits	C. HIGH (1000 to 10) F. VERY LOW (.001) that outgroup	cm/sec.) to .00001 cm/s	
Terrac Deposi a. UNKNOV X.D. MODER: RECHARGE 1. YES SLOPE ESTIMATE 4% OTHER GEOU	AN ATE (10 to .1 cm/sec. AREA 2 NO 3. C AREA 2. NO 3. C OF SLOPE 2. S	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH 100,000 to 1000 to 100	deposits	C. HIGH (1900 to 10 F. VERY LOW (.001 that outgroup . ETC.	cm/sec.) to .00001 cm/s along La	ike Cath
J. SEAND TETTAC Deposi J. GRAVEL A. UNKNOV X.D. MODER: RECHARGE J. YES DISCHARGE LESTIMATE X 4% OTHER GEOLE TETTACE di	AN ATE (10 16 .1 cm/sec. AREA 2 NO 3. C	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 v) E. LOW (.1 to .001 cm sec.) OMMENTS ONLY Along terrace OMMENTS FECIFY DIRECTION OF SLOPE, CONDIT! Mainly souther n facing ores of Lake Catherine are	deposits	C. HIGH (1000 to 10 F. VERY LOW (.001 that outgroup . Erc.	cm/sec.) to .00001 cm/s along La	Prince
A. UNKNOW	AN ATE /10 16 .1 cm/sec. AREA 2 NO 3. C AREA 2. NO 3. C OF SLOPE 2. S LOGICAL DATA eposits on sh	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH 1700,000 to 1000 to E. LOW (.1 to .001 cm kec.) OMMENTS OMMENTS PECIFY DIRECTION OF SLOPE, CONDIT. Mainly souther n facing ores of Lake Catherine are in cretaceous igneous roc	deposits	C. HIGH (1000 to 10 F. VERY LOW (.001 that outgroup . ETC. n by the Stanl	ey Shale.	Princ
A. UNKNOW A. UNKNOW A. UNKNOW A. UNKNOW A. UNKNOW A. I. YES I. YES I. YES OTHER GEOL Cerrace dunining ac Paleozoic	ANN ATE /10 16 .1 cm/sec. AREA 2 NO 3. C AREA X 2. NO 3. C OF SLOPE 2. S LOGICAL DATA eposits on sh tivities are age. Struct	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH (100,000 to 1000 to 10	deposits on of slope underlai ks that i	c. HIGH (1000 to 10] F. VERY LOW (.001 that outgroup . ETC. n by the Stanl nclude undiffe	ew/sec.) along La ey Shale.	Princ rock o
A. UNKNOW A. UNKNOW A. UNKNOW A. UNKNOW A. D. MODERI RECHARGE 1. YES OTHER GEOL dining ac aleozoic	ANN ATE /10 16 .1 cm/sec. AREA 2 NO 3. C AREA X 2. NO 3. C OF SLOPE 2. S LOGICAL DATA eposits on sh tivities are age. Struct	Stanley Shale XIII. SOIL PERMEAB B. VERY HIGH 1700,000 to 1000 to E. LOW (.1 to .001 cm kec.) OMMENTS OMMENTS PECIFY DIRECTION OF SLOPE, CONDIT. Mainly souther n facing ores of Lake Catherine are in cretaceous igneous roc	deposits on of slope underlai ks that i	c. HIGH (1000 to 10] F. VERY LOW (.001 that outgroup . ETC. n by the Stanl nclude undiffe	ew/sec.) along La ey Shale.	Princ rock o

Continued From Front

	The mark burner to		D. DATE	E. EXPIRATION	F. IN COMPLIANCE			
A. PERMIT TYPE (e.g., RCRA, State, NPDES, etc.)	B. ISSUING AGENCY	C. PERMIT NUMBER	(mo.,day,&yr.)	(mo.,day,&yr.)	1. YES	2. NO	3. UN-	
NPDES	EPA	AR0000523	11/16/74	None			x	
State Water	ADPCP ARK	691	03/15/67	None			×	
State Water	ADPCE ARK	1938 W	02/17/77	None			×	
State Water	ADPCE ARK	2524 W	03/04/81	None			\ \ \	
State Water	ADPCE ARK	10AR-1	07/30/70	None			×	

XV. PAST REGULATORY OR ENFORCEMENT ACTIONS

NONE X YES (summarize in this space)

There is an ongoing state investigation concerning compliance with respect to state water and NPDES permits discharges. At the time of the FIT's inspection the state records were unavailable due to pending litagation.

Site is a small quanity generator and a RCRA permit is not required at this time.

NOTE: Based on the information in Sections III through XV, fill out the Tentative Disposition (Section II) information on the first page of this form.

EPA Form T2070-3 (10-79)


PAGE 10 OF 10

SURFACE IMIINDMENTS (Supplement)	SITE INSPECTION REPORT	INSTRUCTION Answer and Explain as Necessary.
TYPE OF IMPOUNDMENT		
Totaliana		
Tailings impoundment		
STABILITY/CONDITION OF EMBANKMENTS		
Stable/periodically checked wit	h survey instruments	
EVIDENCE OF SITE INSTABILITY (Erosion, Settling,	Sink Holes, etc.)	
YES NO		
EVIDENCE OF DISPOSAL OF IGNITABLE OR REACT	IVE WASTE	
T YES NO		
I. ONLY COMPATIBLE WASTES ARE STORED OR DISP	OSED OF IN THE IMPOUNDMENT	
RECORDS CHECKED FOR CONTENTS AND LOCATIO	ON OF EACH SURFACE IMPOUNDMENT	
YES		The second secon
IMPOUNDMENT HAS LINER SYSTEM	7a. INTEGRITY OF LINER SY	STEM CHECKED
YES NO	☐ YES 🙀 NO	
7b. FINDINGS		
Impoundment is well kept & structure	cturally sound	
Unknown		
UIIKIIOWII		
. MONITORING WELLS		
□ ves □ NO depth unknow	vn	
O. LENGTH, WIDTH, AND DEPTH		
LENGTH 2500' WIDTH 1000'	DEPTH 50!	
1. CALCULATED VOLUMETRIC CAPACITY		
12,500000 cubic feet 2. PERCENT OF CAPACITY REMAINING		
25% - 30%		
3. ESTIMATE FREEBOARD		
10' - 15'		
4. SOLIDS DEPOSITION		
THE TOTAL METHOD		
None		
6. OTHER EQUIPMENT		

SURFAC	E IMP. DMENTS SI (Supplements	ITE INSPECTION REPORT	INSTRUCTION Answer and Explain as Necessary.
. TYPE OF IMPOUNDMENT			
2 Effluent ponds	S		
. STABILITY/CONDITION OF E	MBANKMENTS		
Stable/embankmen	nts are seeded w	ith grasses & legumes	
EVIDENCE OF SITE INSTABIL	LITY (Erosion, Settling, Si	ink Holes, etc.)	
YES NO			
EVIDENCE OF DISPOSAL OF	IGNITABLE OR REACTIV	VE WASTE	
S. ONLY COMPATIBLE WASTES	ARE STORED OR DISPO	SED OF IN THE IMPOUNDMENT	
TYES NO			
	DITENTS AND LOCATION	OF EACH SURFACE IMPOUNDMENT	
KYES NO			CONTROL OF COMPANY AND ADDRESS.
MPOUNDMENT HAS LINER S		74. INTEGRITY OF LINER S	YSTEM CHECKED
The FINDINGS	hoclase material	YES X NO	
	woll keet		
. SOIL STRUCTURE AND SUBS	TRUCTURE	structurally sound.	
Unknown			
. MONITORING WELLS			
TYES NO d	epth unknown		
0. LENGTH, WIDTH, AND DEP	тн		
	WIDTH 400'	DEPTH unknown	
11. CALCULATED VOLUMETRI	C CAPACITY		
200,000 surface :	square feet each		
5-10%	EMAINING		
3. ESTIMATE FREEBOARD			
4. SOLIDS DEPOSITION			
YES NO			
5. DREDGING DISPOSAL METH	100		
none			
6. OTHER EQUIPMENT			


SURFACE IM.	Supplemental Report		INSTRUCTION Answer and Explain as Necessary.
. TYPE OF IMPOUNDMENT			
3 Scrubber Ponds			
STABILITY/CONDITION OF EMBAN	KMENTS		
Stable/Embankments ar	re seeded with gras	sses and legumes	
EVIDENCE OF SITE INSTABILITY	Erosion, Settling, Sink Holes,	etc.)	
EVIDENCE OF DISPOSAL OF IGNIT	ARI E CR REACTIVE WASTE		
TES THE	ABLE ON NENCTIVE WASTE		
S. ONLY COMPATIBLE WASTES ARE	STORED OR DISPOSED OF IN	THE IMPOUNDMENT	
RECORDS CHECKED FOR CONTEN	TS AND LOCATION OF EACH	SURFACE IMPOUNDMENT	
TYES NO			
MPOUNDMENT HAS LINER SYSTEM		7a. INTEGRITY OF LINER SY	STEM CHECKED
YES KNO Orthocla	se material	☐ YES 🙀 NO	
Impoundments are well	kent and atm	-11-	
. SOIL STRUCTURE AND SUBSTRUCT	TURE	ally sound	
Unknown			
. MONITORING WELLS			
TYES NO	depth unknown		
0. LENGTH, WIDTH, AND DEPTH			
LENGTH 500' WIDTH		Unknown	
1. CALCULATED VOLUMETRIC CAP Surface capacity of a		00	
2. PERCENT OF CAPACITY REMAIN	ING	oo square reet each	
5 - 10%			
13. ESTIMATE FREEBOARD			
2'-4'			
4. SOLIDS DEPOSITION			
S. DREDGING DISPOSAL METHOD			
Bucket scoop with crar	ne to backfill at r	mine pits/	





MAP

 ϖ





Date / Time / Di	irection	5E	
Comments:			
SCIUBBER	DONDS	W	FORGROUND
IEEL WENT	DOUNS	14.	BACKGROUN



ate /	Time /	/ Direction	sE
7/10	185	10:000	2 E
Comme			
	DAGE		
	TAILIN	65 pond	



Photographer / Witness
They Thollis Date / Time / Direction
7/10/85/10:80 AM/ SE.
Comments: PAGE 2 CF 2

TAILINGS POUD